Psychotherapy notes

Applied Psychology (Veer Bahadur Singh Purvanchal University)

Scan to open on Studocu

Studocu is not sponsored or endorsed by any college or university
Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

SHOUT
SHARE
IT



INTRODUCTION TO PSYCHOTHERAPY

PURVANCHAL UNIVERSITY

M.A./M.SC.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Table of Contents

1. **Concept of Psychotherapy**
   1.1 Therapeutic Relationship
   1.2 Aims of Psychotherapy
   1.3 Phases of Psychotherapy
2. **Modalities of Psychotherapy**
   2.1 Individual Therapy
   2.2 Group Therapy
   2.3 Family Therapy
   2.4 couple's Therapy
   2.5 Child Therapy
3. **Psychoanalysis and Freud's Approach**
   3.1 Basic Assumptions
   3.2 Techniques: Dream Analysis, Free Association, etc.
   3.3 Transference and Countertransference
4. **Behavioral Therapy**
   4.1 Historical Development
   4.2 Types of Behavioral Therapy
   4.3 Techniques: Systematic Desensitization, Token Economy
5. **Cognitive Therapy**
   5.1 Beck's Cognitive Model
   5.2 Techniques: Socratic Dialogue, Collaborative Empiricism
6. **Humanistic Approaches**
   6.1 Person-Centered Therapy (Carl Rogers)
   6.2 Key Techniques: Empathy, Unconditional Positive Regard
7. **Logotherapy**
   7.1 Viktor Frankl's Contributions
   7.2 Techniques: Dereflection, Paradoxical Intention
8. **Gestalt Therapy**
   8.1 Core Concepts: Awareness, "Here and Now"
   8.2 Techniques: Empty Chair Exercise
9. **Comparative Insights**
   9.1 Psychoanalysis vs Behavioral Therapy
   9.2 Cognitive vs Humanistic Approaches
10. **Family therapy**
11. **MBCT and MBSR**
12. **Acceptance and commitment therapy**
13. **Role of positive psychology**

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Unit-1
Psychotherapy

CONCEPT OF PSYCHOTHERAPY-

Psychotherapy is a way to help people deal with emotional and psychological problems. Here's a simpler breakdown:

Therapeutic Relationship: This is the special, supportive relationship between the therapist and the person seeking help.

The main goal of psychotherapy is to help people feel better and make positive changes in their thoughts, feelings, and behaviors. It's like working together with someone who can guide and support you through your difficulties.

During psychotherapy, the therapist and the client work together to:

- **Alleviate Emotional Distress:** Help the client feel better by addressing their emotional pain.
- **Effect Lasting Changes:** Help the client make long-term changes in how they think, feel, and act.
- **Encourage Personal Growth:** Support the client in growing and improving as a person.

The therapist uses various psychological techniques to help the client. This might include talking about their feelings, working through problems, or developing new ways of thinking and behaving.

In short, psychotherapy is a supportive process where a trained professional helps a person work through their emotional and mental struggles to improve their overall well-being and personal growth.

Aims of Psychotherapy

Psychotherapy aims to help people in several ways, depending on their needs:

1) **Removing Symptoms:** The primary goal is often to get rid of symptoms that are causing distress or problems in daily life.
2) **Modifying Symptoms:** If completely removing symptoms isn't possible, therapy may focus on reducing their impact or changing how they affect you.
3) **Retarding Symptoms:** In cases where symptoms are part of a progressive condition (like dementia), therapy can help slow down the worsening of the situation and maintain a connection to reality.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

4) **Improving Behavior Patterns:** Therapy can address issues in various areas of life, such as work, relationships, and social interactions, by changing unhealthy patterns of behavior.
5) **Fostering Personal Growth:** Therapy also aims to help individuals grow emotionally and psychologically by:
   - Boosting motivation and positive behavior.
   - Allowing people to express their feelings and reduce emotional stress.
   - Encouraging personal development and creative self-expression.
   - Changing unhelpful habits and thought patterns.
   - Enhancing self-awareness and interpersonal skills.

PHASES OF PSYCHOTHERAPY

Here's a simplified breakdown of the stages of psychotherapy:

Beginning Phase

1. Establish a Relationship: The main goal is to build a strong, trusting connection between the therapist and the client.
2. Client Motivation: This involves:
Clearing up any misunderstandings about what therapy involves.
Ensuring the client feels understood and believes the therapist can help.
Setting clear goals for what therapy aims to achieve.

Middle Phase

Once the therapeutic relationship is established, therapy focuses on understanding the issues more deeply.

1. Early Middle Phase:

- Explore Issues: Identify and understand the client's frustrations and conflicts, including those they might not be fully aware of.
- Address Anxiety: Look into unconscious conflicts that cause anxiety and affect basic needs.

2. Late Middle Phase:

- Behavioral Change: Help the client make positive changes in their behavior and overcome obstacles.
- Deal with Challenges: Assist the client in handling anxieties and adjusting to unchangeable conditions or persistent issues.

Terminal Phase

Therapy generally continues as long as personal growth is happening, but it can end when goals are met or other issues arise.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

1. Decide to End Therapy:

- Achieved Goals: Therapy can end when the client reaches their goals.
- Incomplete Goals: Sometimes therapy ends even if not all goals are reached.
- Therapy Blocked: If progress stalls or if there are strong resistances that can't be resolved.
- External Factors: If there are practical issues like moving away.

2. Duration of Therapy:

- Typical Length: Many therapies take about 8 to 12 weeks with sessions twice a week, followed by less frequent maintenance sessions.
- Adjusting Therapy: If progress isn't happening, the therapist might need to reassess the approach. Conversely, too many sessions might not be helpful and could lead to diminishing returns.

MODALITIES OF PSYCHOTHERAPY

Individual Therapy

Individual therapy involves one-on-one sessions between a therapist and a client. The primary advantage is that the client receives the therapist's full attention, allowing for a deep focus on personal issues. However, a downside is that the therapist only sees the client in isolation, missing out on how the client interacts within their broader social or family context.

Group Therapy

Group therapy includes around three to fifteen clients participating in sessions together. This approach is beneficial for providing peer support, as clients can share experiences and relate to one another. It's often less expensive than individual therapy, but it may offer less personalized attention and may not suit everyone's needs.

Family Therapy

Family therapy works with the entire family to address and improve dynamics and interactions. It focuses on resolving issues that affect the family unit as a whole and is especially useful for addressing problems that impact children. The challenge lies in managing multiple perspectives and conflicts within the family.

Couple's Therapy

Couple's therapy targets issues between partners to improve their relationship. It deals with conflicts related to social, emotional, sexual, or financial matters. While it aims to enhance the relationship, it requires both partners to be actively involved and committed to the therapeutic process.

Child Therapy

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Child therapy is tailored to address issues specific to children and often involves the child's parents. It aims to improve the child's emotional well-being and family relationships. Challenges include the child's limited ability to articulate problems clearly and the need for active parental involvement to support therapy.

THE THERAPIST EFFECT

Therapist effects (TEs) refer to the impact that different therapists have on the outcomes of their patients. Research shows that therapists can vary significantly in how effective they are, meaning that some therapists produce better results than others. This effect is measured by looking at how much of the variation in patients' outcomes is due to the differences between therapists rather than other factors like the type of therapy or the specific issues patients face. For example, a study might find that 5% of the difference in patient outcomes is related to which therapist they see.

Recent reviews, including the one by Baldwin and Imel (2013), show that therapist effects are a consistent and important factor across different types of therapy and settings. The studies reviewed found TEs ranging from 0.2% to 29%, with an average around 5%. This suggests that while therapist effects are a real and measurable phenomenon, there is considerable variation in how large these effects can be depending on the study and context.

Therapist effects are influenced by various factors including the severity of the patient's issues and the specific setting where therapy occurs. Research has shown that understanding and improving therapist effects can help match patients to the right therapists and enhance the overall effectiveness of therapy. However, variations across studies indicate that a one-size-fits-all approach might not be effective, and more detailed, context-specific analysis might be needed to fully understand and optimize therapist effects.

Characteristics of effective therapist

Based on the study of therapist effectiveness, several characteristics have been identified as potentially influential in improving patient outcomes. Here's a detailed summary of these characteristics:

1. Observable Traits: Research generally shows that basic demographic factors such as a therapist's age, gender, and race have limited impact on treatment outcomes. For instance, while older therapists may tend to have better Facilitative Interpersonal Skills (FIS), which can contribute to better

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

outcomes, age alone does not directly affect effectiveness. Gender effects are less clear; one study found that female therapists achieved better outcomes with youth, but this result requires further investigation to understand why this might be the case and whether it relates to the therapist-patient age match or other factors.

2. Observable States: Characteristics related to a therapist's professional background and training also show mixed results. Theoretical orientation (such as cognitive-behavioral or psychodynamic approaches) and formal education levels do not consistently impact therapy results. However, the presence of supervision and ongoing professional training has been associated with improved patient outcomes. This suggests that the process of being monitored and receiving feedback, or learning from supervision, can enhance a therapist's effectiveness by refining their skills and approaches.

3. Inferred Traits: Traits that are not directly observable but inferred from therapist behavior and style are also important. Effective therapists often exhibit qualities such as kindness, creativity (referred to as artistry), and neutrality. These traits contribute to a strong therapeutic alliance, making patients feel more comfortable and supported. Being warm and approachable while maintaining a non-judgmental stance seems to help therapists connect better with their patients and foster a positive therapeutic environment.

4. Inferred States: The skills and abilities that are inferred from a therapist's interaction with patients include the development of a strong therapeutic alliance, managing patient avoidance, and adapting their interpersonal style to fit the needs of the patient. Effective therapists are skilled in Rogerian Skills, such as empathy and unconditional positive regard, which help in building rapport and understanding the patient's perspective. The impact of multicultural competence and therapist experience is less clear and requires more research to determine how these factors influence therapy outcomes.

In summary, while certain traits and skills of therapists, such as kindness and professional training, are associated with better treatment outcomes, the effectiveness of many characteristics varies. The ongoing need for research is crucial to fully understand how these traits and skills contribute to therapy and how they can be best developed or selected to improve therapeutic practices.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Psychoanalysis: Freud's Psychoanalytic Approach to Therapy

Psychoanalysis is a therapeutic approach and theory, founded by Sigmund Freud, that seeks to explore the unconscious mind to uncover repressed feelings and interpret deep-rooted emotional patterns, often using techniques like dream analysis and free association.

The primary assumption of psychoanalysis is the belief that all people possess unconscious thoughts, feelings, desires, and memories.

According to Freud, neurotic problems in later life are a product of the conflicts that arise during the Oedipal phase of development. These conflicts may be repressed because the immature ego is unable to deal with them at

the time.

Basic Assumptions

- Psychoanalytic psychologists see psychological problems as rooted in the unconscious mind.
- Manifest symptoms are caused by latent (hidden) disturbances.
- Typical causes include unresolved issues during development or repressed trauma.
- Freud believed that people could be cured by making conscious their unconscious thoughts and motivations, thus gaining insight.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

- Treatment focuses on bringing the repressed conflict to consciousness, where the client can deal with it.

Psychoanalytic therapy aims to create the right sort of conditions so that the patient can bring these conflicts into the conscious mind, where they can be addressed and dealt with. Only by having a cathartic (i.e., healing) experience is the person helped and "cured."

How Can We Understand The Unconscious Mind?

Psychoanalysis is both a theory and a therapy developed by Sigmund Freud. In therapy, patients often lie on a couch while the therapist sits behind them, listening and taking notes. The process is lengthy, sometimes involving several sessions a week over years. The therapist helps the patient explore their unconscious mind by discussing dreams, childhood memories, and current feelings. They interpret these to uncover hidden conflicts and defence mechanisms (like denial or resistance) that the patient uses to avoid facing difficult emotions. The goal is to resolve these deep-seated issues, rather than just relieving symptoms. Techniques used include free association (talking freely about thoughts), dream analysis, and examining

the patient's resistances and reactions to gain insight into their unconscious mind. The therapist typically remains a "blank screen," revealing little about themselves to keep the focus on the patient's inner world.

Traditionally, during psychoanalytic sessions, the patient lies on a couch with the analyst seated just behind and out of the patient's line of vision. This setup is believed to facilitate free association, allowing the patient to speak freely without the immediate reaction or perceived judgment from the therapist. The absence of face-to-face interaction is thought to help patients project their feelings and transferences more easily.

The psychoanalyst uses various techniques as encouragement for the client to develop insights into their behavior and the meanings of symptoms,

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

including inkblots, parapraxes, free association, interpretation (including dream analysis), resistance analysis and transference analysis.

1) Rorschach inkblots

Due to the nature of defence mechanisms and the inaccessibility of the deterministic forces operating in the unconscious,

The Rorschach inkblot itself doesn't mean anything, it's ambiguous (i.e., unclear). It is what you read into it that is important. Different people will see different things depending on what unconscious connections they make.

The inkblot is known as a projective test as the patient "projects" information from their unconscious mind to interpret the inkblot.

However, behavioural psychologists such as B.F. Skinner have criticized this method as being subjective and unscientific.

2) Freudian Slip

Unconscious thoughts and feelings can transfer to the conscious mind in the form of parapraxes, popularly known as **Freudian slips** or slips of the tongue. We reveal what is really on our mind by saying something we didn't mean to.

Freud believed that these were no accidents but were due entirely to the workings of the unconscious. As such, they were a valuable source of insight into this part of the human mind. These are more technically known as parapraxes.

For example, a nutritionist giving a lecture intended to say we should always demand the best in bread, but instead said bed. Another example is where a person may call a friend's new partner by the name of a previous one, whom we liked better.

Freud believed that slips of the tongue provided an insight into the unconscious mind and that there were no accidents, every behavior (including slips of the tongue) was significant (i.e., all behavior is determined).

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

I need you to sign this and initial this, and we're going to ask for a $500 earnest deposit. But you'll get that back at closing.
Wow. I'm going to buy a house. This is pretty scary. I hope everything works out ok. I'm really excited though.
skrit! skrit!
Oh no! I wrote the check for "Five Hundread" dollars. I hope no one notices. Maybe that's my psyche reminding me not to be stupid.

3) Free Association

Free association is a technique used in psychoanalytic psychotherapy to uncover unconscious thoughts and emotions. The client is encouraged to speak freely, sharing whatever comes to mind without filtering or censoring their thoughts. This uncensored flow of ideas may bring repressed memories or feelings to the surface, which the therapist can then help the client explore and understand.

The therapist might present a word or idea, and the client responds with the first thing that comes to mind. The therapist interprets these responses to uncover deeper, unconscious material. If the client hesitates or resists, it may indicate they are approaching a significant repressed thought, and further exploration by the therapist is often necessary.

Sometimes, during free association, clients may experience a powerful memory, almost reliving it. This is called an abreaction. If this memory is expressed in a supportive environment, it can lead to catharsis, where the client feels a sense of emotional release or relief.

4) Dream Analysis

According to Freud, dream analysis is a key way to access the unconscious mind. He believed that while we sleep, the conscious mind's "censor" is less active, allowing repressed thoughts and feelings to emerge in dreams. However, these unconscious concerns are often disguised symbolically to protect us from fully realizing them.

In dream analysis, the therapist interprets the symbols in a dream to uncover hidden concerns. Freud distinguished between **manifest content—**what we remember from the dream and, **latent content—**the hidden meaning behind it. He believed many dreams have sexual significance and often represent deeper, repressed desires.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

5) Transference Analysis

Transference is a key technique in psychoanalytic therapy, where the client unconsciously relates to the therapist as if they were an important figure from their past. These feelings can be positive or negative and reflect unresolved emotions or conflicts. Freud believed that transference was a natural and essential part of therapy, as it reveals deep-seated concerns rooted in childhood.

Therapists analyse transference to help clients understand the origins of their emotions and fears. When transference occurs, it signals that a repressed conflict is close to emerging, which is crucial for healing.

Similarly, **countertransference** refers to the therapist's unconscious reactions to the client, which can also provide insight into the dynamics of their relationship.

Countertransference

In psychoanalysis, countertransference refers to the emotional reactions and unconscious biases a therapist might have towards a patient, often influenced by the therapist’s own past experiences or unresolved feelings.

It’s the therapist’s emotional response to the patient’s transference.

Clinical Applications

Psychoanalysis is a global therapy aimed at helping clients shift their entire perspective on life, in contrast to symptom-focused therapies like cognitive-behavioral approaches. It assumes that deep-seated personality issues underlie maladaptive perspectives. Psychoanalysis is generally used for neurotic disorders, such as anxiety and eating disorders, and sometimes for depression, though its effectiveness in depression is debatable due to patients' apathy.

Depressive patients may develop strong dependency and transference toward the therapist. In psychoanalysis, transference is carefully managed to help the client understand the roots of their emotions, often tracing depression back to early experiences of separation from parents. The goal is to help clients become less dependent and better cope with loss and change.

While psychoanalysis may help with general anxiety disorders, its effectiveness for specific anxiety disorders like phobias or OCD is questionable. For OCD, psychoanalysis might even worsen symptoms by encouraging overthinking and rumination. Depressed clients may struggle with the passive nature of psychoanalysis and require a more direct,

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

motivating approach. They may also expect quick results, leading to frustration or dependence on the therapist.

Studies show mixed results for the effectiveness of psychoanalysis, particularly for depression and specific anxiety disorders.

Critical Evaluation

Psychoanalysis is a time-consuming therapy that requires a strong commitment of both time and money. Clients must be motivated, and therapy can sometimes bring up painful repressed memories, causing distress. It doesn't work for everyone or for all disorders, and it has been criticized for creating a power imbalance between therapist and client.

There is a notion, represented by the acronym YAVIS (Young, Attractive, Verbal, Intelligent, Successful), that only certain individuals benefit most from psychoanalysis. While this has been debated, evidence suggests that motivated individuals with a positive attitude toward therapy tend to benefit more.

Eysenck (1952) famously criticized psychoanalysis, claiming that a higher percentage of neurotic patients recovered without treatment than with it. However, Bergin (1971) and others contested Eysenck's findings, showing that different criteria for recovery lead to more favourable outcomes for psychoanalysis. Later reviews suggested that psychoanalytic theory is complex, with some aspects supported and others needing revision.

Evaluating psychoanalysis is challenging because individual differences and the client-therapist relationship can affect results. Unlike behaviorist approaches, which focus on symptom reduction, psychoanalysis measures success more subjectively—based on how much the client feels their condition has improved.

Psychoanalysis, which relies heavily on case studies, has been criticized for its lack of generalizable results. However, its goal is to provide meaningful insights to the individual, not to generate broad scientific principles. Anthony Storr (1987) noted that psychoanalytic observations are often subjective, complicating efforts to treat the field as strictly scientific.

Neo Freudians

Subsequent psychoanalytic theorists introduced new perspectives that both expanded and challenged Freud's original drive theory, which emphasized biological instincts as key drivers of human behavior.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Object relations theory shifted the focus from drives to relationships. Developed by **Melanie Klein**, **Donald Winnicott**, and **John Bowlby**, this approach suggests that early experiences with caregivers significantly shape our internal world, forming "internal working models" of the self and others. These models influence personality development and how we relate to others throughout life. For example, **Winnicott** introduced the concept of the "true self" versus the "false self," emphasizing the importance of authentic emotional expression developed through a secure attachment to a caregiver. Bowlby, in his attachment theory, underscored the crucial role of early bonding in shaping our ability to form healthy relationships later in life.

Interpersonal psychoanalysis, pioneered by **Harry Stack Sullivan**, argued that mental health is heavily influenced by social and cultural factors, rather than just unconscious drives. Sullivan believed that the way individuals interact in relationships, particularly through communication and social dynamics, shapes their psychological well-being. His work emphasized the importance of understanding the context in which a person lives, including their social environment, in therapeutic practice.

Heinz Kohut's self-psychology brought attention to the development of the self, particularly in relation to narcissism and other disorders of self-esteem. Kohut stressed the importance of **empathy** and attunement between the therapist and client. He believed that a lack of empathic responsiveness from caregivers in childhood could result in a fragile sense of self, leading to disorders like narcissism. In therapy, Kohut focused on the importance of the therapist's empathetic understanding to help the client rebuild or strengthen their sense of self.

Intersubjective and relational psychoanalysis represents a more contemporary development in psychoanalysis, moving away from the idea that the therapist is a neutral observer. Instead, theorists in this school, such as **Jessica Benjamin** and **Stephen Mitchell**, argue that both the client and therapist bring their own subjectivities into the therapeutic relationship. This dynamic is seen as **co-created**, meaning that the interaction between the two shapes the therapeutic process. This approach pays special attention to **enactments**, which are unconscious patterns that both client and therapist might re-enact during therapy, and **dissociated self-states**, particularly in trauma survivors, where parts of the self may be disconnected from consciousness as a result of past trauma. By exploring these interactions, therapists aim to help clients integrate fragmented aspects of themselves and foster healing.

In summary, these later psychoanalytic theories shifted the focus from Freud's instinctual drives to a broader understanding of how relationships,

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

social factors, and the self-shape human behavior and mental health. They emphasize the importance of empathy, attachment, and the co-creation of meaning in the therapeutic process, particularly for those with deep-rooted relational or trauma-based difficulties.

Attachment Theory vs Psychoanalysis

Attachment theory, developed by **John Bowlby**, and psychoanalytic theory, founded by **Sigmund Freud**, offer complementary views on human development and relationships.

While attachment theory moved away from certain psychoanalytic ideas, like Freud's drive theory, both approaches agree that early childhood experiences shape internal models that influence adult relationships. **Attachment theory** emphasizes how early caregiver relationships form **internal working models**—mental frameworks that guide how we perceive ourselves and others. These models impact how we connect with people throughout life, much like how psychoanalysis views early experiences as shaping **transference** in adult relationships.

Attachment research supports the psychoanalytic idea that unresolved childhood issues can carry over into adulthood, perpetuating across generations. Concepts such as a **secure base** in attachment theory (where a child feels safe with a caregiver and explores the world) parallel the psychoanalytic focus on how therapeutic relationships can foster insight and healing.

However, the two theories differ in focus. Attachment theory places more emphasis on the **actual events** of childhood, while psychoanalysis focuses on **inner reality and fantasy**, exploring how unconscious desires and emotions influence behavior.

Despite these differences, both theories offer valuable insights into how relational patterns develop and change across the lifespan. Their contrasting views on the importance of external versus internal realities offer a rich foundation for deeper exploration in therapy and training.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Unit-2
Behaviour and cognitive therapy



Behavioural Therapy:

Behavioral therapy is a type of treatment designed to help people change negative or harmful behaviors by teaching them new, more effective behaviors. The idea behind this therapy is that many of our behaviors are learned from our experiences and surroundings. If some of these behaviors are causing problems, we can "unlearn" them and replace them with better ones.

Unlike some other types of therapy that focus on understanding deep-seated emotions or exploring why we feel or act a certain way (like psychoanalysis or humanistic therapy), behavioral therapy is **action-based**. This means it doesn't spend much time on the "why" behind a behavior but focuses on the "what" the behavior is and "how" to change it.

For example, if someone has a fear of speaking in public, behavioral therapy helps them learn new strategies and techniques to manage and overcome that fear. Instead of just talking about the fear or analyzing it, the therapy involves practical steps and exercises. By practicing these new methods, the person can gradually reduce their fear and become more confident in public speaking.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

In short, behavioral therapy works on the principle that if you've learned a problematic behavior in the past, you can learn new, more helpful behaviors now to address and solve the issue.

History Of Behavioural Therapy

Behavioral therapy grew out of the behaviorist school of thought in psychology. This approach emerged during the early part of the 20th-century and became a dominant force in the field for many years.

Edward Thorndike was one of the first to refer to the idea of modifying behavior. Other early pioneers of behavior therapy included psychologists Joseph Wolpe and Hans Eysenck.

John B. Watson utilized the conditioning process in his famous **Little Albert experiment**. In this experiment, he conditioned a young child to fear a white rat. Later, Mary Cover Jones replicated Watson's results and utilized counterconditioning techniques to desensitize and eliminate the fear response.

Behaviorist **B.F. Skinner's** work had a major influence on the development of behavior therapy and his work introduced many of the concepts and techniques that are still in use today. Later on, psychologists such as **Aaron Beck** and **Albert Ellis** began adding a cognitive element to behavioral strategies to form the treatment approaches known as CBT and REBT.

Types of Behavioral Therapy

Behavioral therapy encompasses several approaches, each designed to address different issues and needs.

- **Applied Behavior Analysis (ABA)** is a prominent method that utilizes operant conditioning to modify problematic behaviors. By reinforcing positive behaviors and applying consequences to reduce negative ones, ABA helps individuals develop useful skills and manage undesirable behaviors. This approach is particularly effective for conditions such as autism spectrum disorders.
- **Cognitive Behavioral Therapy (CBT)** combines behavioral techniques with a focus on the thoughts underlying behaviors. It helps people identify and change unhelpful thought patterns and beliefs that contribute to their difficulties. CBT is widely used for a range of issues, including depression, anxiety, and stress-related disorders, as it addresses both the behavior and the cognitive processes behind it.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

- **Dialectical Behavior Therapy (DBT)** is a specific type of CBT that integrates strategies for managing emotions, coping with distress, and improving interpersonal relationships. It emphasizes balancing acceptance with change and teaches skills in areas like mindfulness, distress tolerance, emotion regulation, and interpersonal effectiveness. DBT is especially beneficial for individuals with borderline personality disorder (BPD) and other mood disorders.
- **Exposure Therapy** helps people confront their fears by gradually exposing them to the feared object or situation in a controlled environment. This method also incorporates relaxation techniques to manage anxiety during the exposure. It is particularly useful for treating specific phobias, post-traumatic stress disorder (PTSD), and other anxiety disorders by gradually reducing fear through repeated exposure.
- **Rational Emotive Behavior Therapy (REBT)** focuses on identifying and challenging irrational or negative thoughts. By replacing these unhelpful thoughts with more rational and realistic ones, individuals can achieve healthier emotional responses and behaviors. REBT is effective for managing emotional issues such as anger, depression, and anxiety.
- **Social Learning Theory** emphasizes the role of observation in learning behaviors. People often adopt behaviors they see others performing, especially if those behaviors are rewarded or if they see others being punished for certain actions. This theory is applied in various settings, including education and behavior modification, to encourage positive behaviors through role modelling and observational learning.

Each type of behavioral therapy offers unique techniques and focuses, so the choice of therapy often depends on the specific challenges a person is facing and their individual needs.

Techniques

Behavioral therapy uses different techniques to change unwanted behaviors. These techniques are based on two learning theories: **classical conditioning** and **operant conditioning**. Here's a simple breakdown of these techniques:

Techniques Based on Classical Conditioning

Classical conditioning involves creating associations between two things. For example, if a person hears a certain sound when eating their favourite food,

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

eventually, just hearing that sound will make them feel hungry, even without the food.

Aversion therapy: This technique pairs a bad behavior with something unpleasant to make the person want to stop the behavior. For example, if someone has a drinking problem, they might take a medicine that makes them feel sick when they drink alcohol, so they start associating drinking with feeling sick.

Flooding: This is when a person is exposed to their fear all at once, without a chance to avoid it, to help them realize that their fear won't hurt them. For example, someone afraid of spiders might be exposed to spiders until they can handle their fear.

Systematic desensitization: Systematic Desensitization, introduced by Joseph Wolpe in 1958, is a treatment for anxiety disorders based on the idea of Counterconditioning. This means replacing a negative response (like anxiety) with a positive one (like relaxation). Here's how it works:

Wolpe believed that **anxiety** is a learned response, which happens through **classical conditioning**. His goal was to help people unlearn this anxiety by pairing it with relaxation, a state that directly opposes anxiety. For example, if someone is afraid of heights or enclosed spaces, they would be gradually trained to associate these anxiety-triggering situations with calmness instead of fear.

Key Process of Systematic Desensitization:

1. **Hierarchy Construction**:

The patient and therapist create a list (called a hierarchy) of situations that cause fear, arranged from least to most anxiety-provoking. For instance, if someone fears heights, the list might start with standing on a chair and end with looking down from a tall building.

2. **Relaxation Training**:

The patient learns techniques to achieve deep relaxation. This could involve controlled breathing, muscle relaxation, or visualization, helping them enter a calm state.

3. **Desensitization of the Fear Evoking Stimulus**:

While in a relaxed state, the patient is gradually exposed to the items on their anxiety hierarchy, starting with the least fearful situation. Over time, they

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

work their way up to more anxiety-provoking items, all while maintaining their relaxed state. This gradual exposure helps weaken the fear response.

The idea is that anxiety and relaxation cannot coexist. This phenomenon, known as reciprocal inhibition, means that as the patient repeatedly faces their fears in a relaxed state, the fear begins to fade, and they learn to stay calm in situations that used to provoke anxiety.

How It Helps:

- By breaking the connection between the fear-inducing situation and the anxiety response, the person becomes less sensitive to the fear-triggering stimulus.
- Instead of facing their fears all at once (which could be overwhelming), patients are guided through a gradual process, helping them manage their anxiety step by step.

In summary, systematic desensitization helps people overcome fears by retraining their mind and body to associate fear-inducing situations with relaxation rather than anxiety.

Simple counter conditioning: Counterconditioning (also called stimulus substitution) is functional analytic principle that is part of behavior analysis, and involves the conditioning of an unwanted behavior or response to a stimulus into a wanted behavior or response by the association of positive actions with the stimulus. For example, when training a dog, a person would create a positive response by petting or calming the dog when the dog reacts anxiously or nervously to a stimulus. Therefore, this will associate the positive response with the stimulus.

Exposure: An Extinction Approach

Phobias and intense fears are often understood as learned responses. Imagine you're afraid of heights because you once had a frightening experience up high. In this case, the heights become a trigger for fear because they are associated with that past scary event. This learned fear is known as a conditioned response.

To treat these fears, therapists use a method called **exposure therapy.** This involves gradually and repeatedly exposing you to the thing you're afraid of—in this case, heights. By doing this in a controlled way, the goal is to reduce your anxiety over time. For example, you might start by looking at pictures of heights, then progress to standing on a low step, and eventually work your way up to higher places. The idea is that by facing your fear

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

without experiencing the negative consequences you expect, your anxiety will gradually decrease.

Modern technology has improved this process with **Virtual Reality (VR).** VR creates lifelike simulations of the feared situations, like being at a height, which can help people confront their fears in a safe environment. Studies show that both traditional exposure and VR methods can be very effective in reducing phobias.

phobias are often learned fears that can be treated by gradually exposing yourself to the feared object or situation, helping you become less anxious over time.

Techniques Based on Operant Conditioning

Operant conditioning uses rewards and punishments to either increase or decrease certain behaviors. The goal is to encourage good behavior by rewarding it and discourage bad behavior by punishing it.

1) **Contingency management**: In this approach, there's a written agreement between the therapist and the client that sets clear behavior goals and rewards for meeting them. For example, a student might agree to complete their homework every day and get a reward if they do.
2) **Extinction**: This method stops rewarding bad behavior so the behavior eventually disappears. For example, when a child misbehaves for attention, putting them in **time-out** (taking away attention) can eventually stop the misbehaviour.
3) **Modelling**: Here, people learn by watching others. For example, if someone wants to learn a new skill, they watch someone else do it first and then try to copy it.
4) **Token economies**: In this system, people earn tokens (like points or stars) for good behavior, which they can later exchange for rewards (like toys or treats). Parents and teachers often use this method to encourage good behavior in kids.
5) **Positive Reinforcement:** When a behavioural response is followed by a generally rewarding event, such as food, avoidance of pain, or praise, it tends to be strengthened and to occur more frequently than before the reward. This principle has been applied in a variety of situations. In the inpatient hospital wards, patients with mental disorder receive a reward for performing a desired behaviour, such as tokens that they can use to purchase luxury items or certain privileges. The process, known as token economy, has successfully altered undesirable behaviours to desirable behaviours.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

6) **Biofeedback:** Biofeedback is a technique that helps you learn how to control certain functions of your body by using real-time information. During a biofeedback session, you are connected to electrical sensors or pads that monitor your body's responses, such as heart rate, breathing patterns, and muscle tension.

   When you're in pain or stressed, your body automatically reacts—your heart rate speeds up, your breathing becomes quicker, and your muscles may tighten. Biofeedback allows you to see these changes as they happen, and with this awareness, you can learn to make adjustments. For example, you can practice relaxing your muscles, slowing your heart rate, or controlling your breathing.

   By gaining this control over your body's responses, you can help alleviate pain, reduce stress, and manage tension more effectively. Over time, biofeedback can teach you new ways to control your body's functions, which can improve your overall well-being and make everyday tasks easier.

7) **Assertiveness training:** Assertiveness Training is designed to help individuals communicate their needs and feelings confidently and respectfully. It teaches people how to stand up for themselves without undue anxiety and express their honest opinions while respecting the rights of others. Assertiveness is about finding a middle ground between being passive (not speaking up for oneself) and aggressive (being overly forceful or disrespectful).

   This training is particularly useful in situations where clear communication is needed. For example, it can help you set boundaries with pushy friends or relatives by teaching you how to say no politely but firmly. It is also beneficial in commercial contexts, such as handling high-pressure sales pitches or managing returns of defective merchandise.

   Historically, assertiveness training focused on identifying specific behaviors as either assertive or non-assertive. Assertive behaviors include expressing your needs directly and respectfully, while non-assertive behaviors involve avoiding conflict and letting others take advantage of you. By understanding and practicing these behaviors, individuals can navigate various situations more effectively, ensuring their needs are met without compromising their respect for others.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Cognitive therapy



Cognitive therapy (CT) is a type of psychotherapy developed by American psychiatrist Aaron T. Beck. CT is one of the therapeutic approaches within the larger group of cognitive behavioral therapies (CBT) and was first expounded by Beck in the 1960s. Cognitive therapy is based on the cognitive model, which states that thoughts, feelings and behavior are all connected, and that individuals can move toward overcoming difficulties and meeting their goals by identifying and changing unhelpful or inaccurate thinking, problematic behavior, and distressing emotional responses. This involves the individual working collaboratively with the therapist to develop skills for testing and modifying beliefs, identifying distorted thinking, relating to others in different ways, and changing behaviors. A tailored cognitive case conceptualization is developed by the cognitive therapist as a roadmap to understand the individual's internal reality, select appropriate interventions and identify areas of distress.

History

Aaron Beck, initially disillusioned with the traditional focus on unconscious emotions in therapy, turned his attention to how people think about and interpret their daily experiences. He believed that changing these thought patterns could be key to improving mental health. Beck's approach, outlined in his 1967 book **Depression: Causes and Treatment**, emphasized the importance of understanding and altering negative thought patterns.

At the same time, Albert Ellis was developing a similar approach called Rational Emotive Behavior Therapy (REBT), which also focused on changing how people think. This new focus on cognition conflicted with the behaviorism of the time, which only looked at observable behaviors and not mental processes. However, by the 1970s, there was a shift in psychology towards integrating cognitive and behavioral techniques, leading to what we now call Cognitive Behavioral Therapy (CBT).

Cognitive therapy also draws on ancient philosophical ideas from Stoicism, which stressed changing how we think. As cognitive therapy became more popular, the Academy of Cognitive Therapy was founded to train and certify therapists, support research, and inform the public about cognitive therapy.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Basis

In cognitive therapy, the goal is to change the way people think in order to improve their emotions and behaviors. The process often starts with examining and challenging the thoughts that a person has. For instance, if someone believes that making a mistake at work means they are "useless," this negative thought can lead to feelings of sadness or frustration. These feelings might cause them to avoid work challenges, which can reinforce their belief that they are not capable.

In therapy, the focus would be on identifying and breaking this cycle. The therapist helps the person question their negative thoughts and replace them with more balanced and realistic ones. This shift in thinking can lead to better emotions and behaviors, helping the person feel more positive and capable.

Cognitive therapy encourages people to develop skills to manage their own thoughts and feelings. By learning how to identify and change unhelpful thoughts, they can improve their emotional well-being and work towards their goals more effectively. The idea is that over time, individuals become better at managing their thoughts and emotions on their own, effectively becoming their own therapist.

Cognitive model

The cognitive model, developed by Aaron Beck, was initially created to explain how depression affects thinking. It breaks down mental beliefs into three levels:

1. Automatic Thoughts: These are immediate, spontaneous thoughts that pop into our minds. For example, if you make a mistake, an automatic thought might be, "I'm a failure."

2. Intermediate Beliefs: These are more stable beliefs that guide how we interpret automatic thoughts. For instance, you might have a belief that you are generally not good enough or that you must be perfect to be valued.

3. Core Beliefs: These are the deep-seated, fundamental beliefs about ourselves, others, and the world. They are often formed in early life and shape how we understand our experiences. For example, a core belief might be that you're unworthy or unlovable.

In 2014, the Generic Cognitive Model (GCM) was introduced as an update to Beck's original model. The GCM builds on Beck's ideas by suggesting that

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

different mental disorders can be distinguished by the specific types of dysfunctional beliefs they involve. This updated model provides a framework for understanding common cognitive processes across various mental disorders and highlights the unique features of each disorder.

Cognitive Therapy (CT) is designed to be structured and focused, with clear goals and a time-limited approach. It aims to identify and challenge distorted thinking and core beliefs, helping people to test these beliefs against reality and correct them. This process is intended to reduce mental distress and improve overall functioning.

Aaron Beck's cognitive therapy and Albert Ellis's approach, though developed independently, share a common goal: to change faulty thinking patterns that lead to negative emotions and behaviors. Beck's approach, which originated from his research on depression, blends ideas from psychoanalysis and behavior therapy.

Beck's model of depression is based on the idea that negative thoughts and beliefs, often formed in childhood, affect how people feel and act. For example, if someone grows up believing they're not good enough, this negative self-belief can lead them to feel depressed. Beck identified a "cognitive triad" in depression consisting of three key themes:

1) **Viewing the environment negatively:** For instance, if a person fails a test, they might think, "I'm terrible at everything."
2) **Disliking oneself:** Someone might think, "I'm a failure because I didn't get that promotion."
3) **Expecting a negative future:** They might believe, "I'll never succeed at anything in life."

These negative thought patterns interact to maintain and deepen depression. Beck also identified common cognitive errors that contribute to these patterns:

- **Polarized Thinking:** Seeing things as all good or all bad. For example, if a person gets one bad review at work, they might think, "I'm a complete failure," rather than seeing it as just one part of their performance.
- **Personalization:** Blaming oneself for negative events. If there's a power outage in the town, a person might think, "This is my fault," even though it's out of their control.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

- **Selective Abstraction:** Focusing only on negative details. If someone makes a mistake during a presentation, they might fixate on that one mistake and ignore the overall positive feedback they received.
- **Magnification/Minimization:** Overemphasizing negatives and downplaying positives. For example, if a person does well in a project but makes a small error, they might focus more on the error and disregard their overall success.
- **Overgeneralization:** Making broad conclusions from a single event. If someone is rejected by a date, they might think, "I'll never find love."
- **Arbitrary Inference:** Drawing conclusions without sufficient evidence. For instance, assuming that a colleague's lack of response to an email means they're angry, without any real proof.

To tackle these issues, cognitive therapy uses three main techniques:

Collaborative Empiricism: In this technique, the therapist and client work together to examine the client's faulty thoughts. For example, if a client believes they are incapable of achieving anything, they might work with the therapist to review evidence of their past successes and failures to test this belief.

Socratic Dialogue: This involves the therapist asking questions to help the client explore and challenge their thoughts. For example, if a client believes that "Nobody loves me," the therapist might ask, "How do you know that's true?" and "Have you ever experienced love from others in different ways?"

Guided Discovery: Clients are encouraged to test their beliefs through real-life experiments. For instance, if a client feels they are always failing, they might be asked to take on small, manageable tasks to prove to themselves that they can succeed. By gradually increasing the difficulty of these tasks, they can build confidence and find more effective ways to handle challenges.

Beck's therapy is structured and often completed within a set number of sessions, such as 20 hours, making it efficient and focused. Clients are given practical tasks and encouraged to use techniques like self-monitoring with audio and video recordings to reinforce their new skills.

Both Beck's cognitive therapy and Ellis's Rational Emotive Behavior Therapy (REBT) aim to address and correct irrational beliefs and distorted thinking. While Beck's approach is highly structured and specifically targets

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

depression, Ellis's REBT also deals with a broader range of irrational beliefs and emotional issues.

STRESS INOCULATION

Stress Inoculation Training (SIT) is a technique developed by Meichenbaum and Cameron in 1973 to help people manage anxiety and stress. The idea is similar to getting a vaccine, where you are exposed to a small amount of stress to build your ability to handle more stress in real life. SIT involves three main stages: Cognitive Preparation, Skill Acquisition, and Application and Practice. Here's a simple explanation of each stage:

1. Cognitive Preparation

In the first stage, you and your therapist talk about the things that stress you out. This helps the therapist understand what causes you stress and how you react to it. You'll learn about:

- **Identifying Stressors:** What kinds of events or situations make you feel stressed (like public speaking or deadlines)?
- **Recognizing Emotional Responses:** Differentiating between emotions like anxiety and fear or anger and aggression.
- **Justified vs. Unjustified Responses**: Learning when your reactions are appropriate and when they might be exaggerated.
- **Determinants of Stress:** Understanding what specifically triggers your stress.
- **Stress Response Sequences:** Knowing how stress builds up and affects you.
- **Stress-Management Techniques:** Getting introduced to methods to handle stress better.

Sometimes, therapists use a treatment manual to explain the process and techniques of the therapy.

2. Skill Acquisition

In this phase, you learn specific skills to manage stress better. This includes:

- **Objective Viewing:** Learning to look at stressful events more objectively and not let them seem as threatening.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

- **Alternative Appraisals**: Finding different ways to view the stressor to reduce its impact on you.
- **Humour and Relaxation:** Using humour to defuse stress and practicing relaxation techniques to stay calm.
- **Self-Instruction:** Using positive self-talk to guide yourself through stressful situations. For example, telling yourself, "I can handle this. I'll stay calm and focused," can help manage your stress response.

3. Application and Practice

Finally, you practice the skills you've learned in real-life situations. This stage involves:

- **Real-Life Practice:** Applying your new skills in actual stressful situations.
- **Role-Playing:** Practicing these skills in simulated stressful scenarios to prepare you for real situations.
- **Gradual Exposure:** Facing increasingly stressful situations in a controlled way to build confidence and competence.

Throughout this process, your therapist will help you monitor your progress and adjust the techniques as needed. The goal is to make sure you can handle stress effectively in different situations.

RATIONAL EMOTIVE BEHAVIOUR THERAPY

Rational Emotive Behavior Therapy (REBT) is a type of therapy created by Albert Ellis in 1955. The main idea behind REBT is that our problems don't come from the events that happen to us, but from how we think about those events. Ellis believed that people get upset not because of what happens to them, but because of their own irrational or faulty beliefs about those events. For example, if someone believes they must always be perfect to be happy, they might feel very stressed if

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

they make a mistake. REBT helps people recognize and change these faulty beliefs, which can reduce their stress and improve their overall well-being.

In REBT, the first step is to identify the irrational beliefs causing distress. These are unrealistic thoughts, like "I must be liked by everyone to be happy." Once these beliefs are identified, the next step is to challenge them. This involves questioning whether these beliefs are realistic or helpful. For instance, asking, "Is it really possible for everyone to like me all the time?" helps to see if the belief is rational.

After challenging these beliefs, the goal is to replace them with more rational and helpful ones. In the example above, a more rational belief might be, "It's okay if not everyone likes me. I can still be happy and confident." Changing these beliefs can lead to a more positive outlook and reduced emotional distress.

REBT also focuses on changing behaviors that result from irrational beliefs. For example, instead of avoiding situations where someone might be disliked, the person learns healthier ways to handle such situations. This approach teaches that we can control our emotional reactions by changing our thinking patterns.

In summary, REBT helps people understand that their emotional issues often come from their own thinking. By changing these thoughts and beliefs, they can manage and reduce their emotional problems, leading to a happier and more balanced life.

The A-B-C Paradigm of REBT

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

The A-B-C Paradigm of Rational Emotive Behavior Therapy (REBT) is a way of understanding how our thoughts affect our emotions and actions. Here's a breakdown of how it works in simple terms:


ABC Model:
A° Activating Event or Adversity
B° Beliefs about event or adversity witch may be rational or irrational,
C° Consequences (behaviors and feelings that come from the thoughts about the activating event)

A: Activating Event

This is the event or situation that triggers a reaction. For example, getting a bad grade on a test, having an argument with a friend, or even something as simple as being stuck in traffic.

B: Beliefs

These are the thoughts or beliefs we have about the activating event. They can be rational (reasonable) or irrational (unreasonable). For instance, if you get a bad grade and you believe, "I'm terrible at everything," that's an irrational belief. A rational belief would be, "I didn't do well this time, but I can improve with more effort."

C: Consequences

These are the emotional and behavioral responses that result from our beliefs. If you hold irrational beliefs, you might feel upset, anxious, or act in a way that makes things worse. For example, if you believe you're terrible because of a bad grade, you might feel hopeless or give up on studying.

How It Works Together

The A-B-C model shows that the event itself (A) doesn't directly cause our emotional responses (C). Instead, it's how we interpret the event (B) that affects how we feel and behave (C). For example, getting a bad grade (A) might lead to feeling upset (C) if you believe it means you're a failure (B). But if you see it as a chance to learn (B), you might just feel motivated to improve (C).

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Breaking Down Beliefs

Ellis identified that many of our beliefs are irrational and can lead to emotional problems. He called these irrational beliefs "musturbatory" thoughts. For example:

1. "I must always succeed, or I'm a failure."
2. "People must always treat me well, or they're horrible."
3. "Life must be perfect, or it's not worth living."

These beliefs lead to negative feelings and behaviors, like frustration or depression. The goal of REBT is to challenge and change these irrational beliefs into more rational, balanced thoughts, which can improve emotional responses and behavior.

Types of Cognitions

- Cold Cognitions: Neutral, factual observations or descriptions. For example, "It's raining today."
- Warm Cognitions: Preferences or personal likes and dislikes. For example, "I prefer sunny weather."
- Hot Cognitions: Emotional, demanding statements that can cause distress. For example, "I can't stand this rain; it ruins everything!"

By understanding and addressing these hot cognitions, REBT helps people manage their emotional reactions and improve their overall well-being.

The Techniques

Understanding Rational Emotive Behavior Therapy (REBT) Techniques

Rational Emotive Behavior Therapy (REBT) is a therapeutic approach that helps individuals address emotional and behavioral issues by changing irrational thoughts and beliefs. REBT uses a variety of techniques, which can be categorized into three main approaches: cognitive, emotive-experiential, and activity-oriented. Here's a systematic breakdown of these techniques:

Cognitive Techniques

- **Disputing Irrational Beliefs** Challenge and question irrational thoughts. Example: If someone thinks, "I must be perfect at everything or I'm a failure," the therapist helps them debate this belief and replace it with a more realistic one.
- **Coping Self-Statements** Use positive self-talk to manage feelings and behaviors. Example: An anxious client might say, "I've prepared well,

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

and it's okay to feel nervous. I can handle this" before speaking in public.

- **Modeling** Demonstrate effective behaviors in challenging situations. Example: If a client struggles with assertiveness, the therapist role-plays an assertive conversation to show how it's done.
- **Cost-Benefit Analysis** Weigh the pros and cons of irrational beliefs and behaviors. Example: A procrastinating client might explore the short-term comfort of avoiding tasks versus the long-term stress it causes.
- **Cognitive Homework** Practice new thinking strategies outside of therapy. Example: Keeping a diary of irrational thoughts and challenging them.
- **Psycho-Educational Materials** Educate clients about REBT and self-help techniques. Example: Using books and videos to reinforce learning.
- **Positive Visualization** Train clients to imagine handling difficult situations successfully. Example: Visualizing oneself successfully giving a presentation.
- **Reframing** View situations from a less catastrophic perspective. Example: Seeing a minor setback as a learning opportunity rather than a disaster.
- **Resistance to Overgeneralization** Avoid making broad, negative conclusions from single events. Example: Not letting one failed job interview lead to the belief that all interviews will fail.
- **Real-Life Application** Apply problem-solving skills in actual life situations. Example: Practicing newly learned skills in real-world scenarios.

Emotive-Experiential Techniques

- **In Vivo Disputing** Actively challenge irrational beliefs in real-life scenarios. Example: Addressing irrational thoughts during everyday activities.
- **Building a Trusting Relationship** Create a supportive therapeutic environment. Example: Developing a close relationship with the therapist to facilitate openness.
- **Role Playing** Practice handling emotional situations. Example: Acting out a difficult conversation to build confidence.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

- **Shame-Attacking Exercises** Reduce performance anxiety by performing mildly embarrassing actions. Example: Singing loudly in public to reduce fear of embarrassment.
- **Encouragement Against Self-Denigration** Prevent clients from belittling themselves despite criticism. Example: Promoting self-acceptance even when faced with disapproval.

Activity-Oriented Behavioral Techniques

- **Exposure or In Vivo Desensitization** Gradually face feared situations to reduce anxiety. Example: Looking at airplane pictures and taking short flights to overcome a fear of flying.
- **Taking Deliberate Risks** Confront and overcome fears. Example: Starting conversations with strangers to improve social skills.
- **Self-Reinforcement and Punishment** Reward positive behaviors and set consequences for negative ones. Example: Rewarding oneself for sticking to an exercise routine and setting consequences for missed workouts.
- **Stimulus Control** Manage environmental cues to reduce compulsive behaviors. Example: Removing cigarettes from the home to quit smoking.
- **Relapse Prevention** Avoid returning to old behaviors after making progress. Example: Developing a plan to maintain productivity after overcoming procrastination.
- **Skill Training** Teach new skills to improve various aspects of life. Example: Training in assertiveness to enhance communication skills.

By using these techniques, REBT aims to help individuals identify and change irrational beliefs, leading to healthier emotions and behaviors.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Unit-3
Humanistic and existential therapy

Person-centred Therapy

Understanding the Person-Centred Approach

The Person-Centred Approach, developed by Carl Rogers, is grounded in humanistic psychology, which views people as inherently capable and autonomous. This approach emphasizes that people can resolve their own difficulties, realize their potential, and positively change their lives.

KEY CONCEPTS:

Humanistic Influence

Humanistic psychology influences the Person-Centred Approach by focusing on the belief that clients are capable of self-growth and change. This approach trusts that individuals have the ability to make meaningful changes in their own lives.

Self-Actualisation

Self-actualisation is about growing into the best version of yourself. It means achieving your full potential, which includes pursuing personal goals, realizing your talents, and living a fulfilling life. This process happens throughout life as you strive to reach personal and meaningful goals.

Conditions of Worth

Conditions of worth are the expectations and judgments imposed by significant people in your life, like parents or teachers. These conditions can shape how you see yourself. If you grow up with critical or judgmental messages, it can lead to a low self-image. Overprotective or controlling environments can also harm your self-esteem.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

The Fully Functioning Person

A fully functioning person is someone who has achieved a high level of emotional health. Such a person is open to experiences, lives with purpose, and trusts themselves and others. The goal of Person-Centred Therapy is to help individuals become fully functioning by fostering this ideal emotional health.

Phenomenological Perspective

This perspective focuses on understanding each person's unique view of their own world. It recognizes that everyone has their own way of experiencing and interpreting life. Person-Centred Therapy focuses on this personal perspective to guide treatment, aiming to align the therapy with the individual's own experiences and needs.

Therapeutic Relationship

In Person-Centred Therapy, the relationship between the therapist and the client is crucial. The therapist provides a supportive environment characterized by empathy, non-judgment, and genuine understanding. This helps clients explore and understand themselves better and encourages self-exploration and personal growth.

In summary, Person-Centred Therapy aims to create a supportive space where individuals can explore their feelings and self-concept, work towards personal growth, and become the best versions of themselves, all guided by a non-directive and empathetic therapeutic relationship.

Key Techniques in Person-Centred Therapy

Person-Centred Therapy focuses on creating a supportive and understanding environment where clients can explore their feelings and self-concept. Here’s a breakdown of some key techniques used in this approach:

Unconditional Positive Regard

This means the therapist accepts and cares for the client without judgment, regardless of what the client says or does. It’s not about agreeing with everything the client does, but rather seeing the client as doing their best and showing concern for their well-being. This helps clients feel safe and

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

accepted, which can encourage them to open up and work through their issues.

Empathy

Empathy involves understanding and sharing the client's feelings without feeling sorry for them. For example, if a client feels lonely, an empathetic response would be, “So you’re feeling alone and like no one cares,” which shows you understand their experience. In contrast, sympathy might sound like, “I’m sorry you feel that way,” which can come across as pity rather than understanding.

Nondirectiveness

In Person-Centred Therapy, nondirectiveness means letting the client lead the conversation without the therapist giving advice or directing the session. The therapist doesn’t push the client toward specific solutions or techniques but instead allows the client to explore their own thoughts and feelings.

Other Techniques

1. Reflection of Feelings: This involves repeating back what the client has said, focusing on their emotions. For example, if a client says, “I didn’t know what to do, I was so confused and angry,” the therapist might respond, “So you are feeling confused and angry.” This helps clients clarify and validate their emotions.

2. Open Questions: These encourage clients to explore their feelings more deeply. For instance, if a client talks about a stressful event, the therapist might ask, “And how did that make you feel?” This invites the client to elaborate on their emotions.

3. Paraphrasing: This technique involves summarizing what the client has said to ensure understanding and to help them see their thoughts from a different perspective. For example, if a client mentions feeling depressed and struggling with daily activities, the therapist might say, “So the feeling of depression is impacting your everyday life,” to clarify and reinforce the client’s experience.

4. Encouragers: Simple verbal cues like “Uh-huh” or “I see” encourage clients to continue talking and sharing their feelings. These responses show the therapist is listening and interested, which can help clients feel supported.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Overall, these techniques aim to create a trusting and empathetic therapeutic relationship where clients feel free to explore their feelings and work towards personal growth.

Viktor Frankl's Logotherapy



Born in 1905, Viktor Frankl grew up learning the theories of Sigmund Freud and Alfred Adler.

Having graduated from the University of Vienna Medical School in 1930, he became the Director of the Neurological Department of the Rothschild Hospital.

In 1942, however, his life abruptly changed when Frankl and his family were deported to a Nazi concentration camp.

While struggling to survive in the Nazi camp, drawing from his experiences and observations, he developed the theory of logotherapy, which claimed that through a search for meaning in life, individuals could endure and overcome suffering.

Logotherapy is a form of psychotherapy developed by Viktor Frankl, an Austrian psychiatrist and Holocaust survivor. The word "logos" in Logotherapy refers to meaning or purpose, emphasizing the central focus of this therapeutic approach.

Frankl believed that humans are motivated by something called a "will to meaning," which corresponds to a desire to seek and make meaning in life.

"Inasmuch as logotherapy makes him aware of the hidden logos of his existence, it is an analytical process" (Frankl, 1984, p. 125).

Viktor Frankl coined the term logotherapy based on his belief that the search for meaning, even amidst suffering, can constitute a potential solution to human suffering.

Logotherapy has been recognized as a scientifically based school of psychotherapy by the American Psychological Association, the American

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Psychiatric Association, and the American Medical Society (Schulenberg, Hutzell, Nassif, and Rogina, 2008).

Fundamental Properties

At the heart of Frankl's philosophy are three essential properties (Rajeswari, 2015):

1. Every person possesses a healthy core.
2. The main focus is on enlightening a person about their inner resources and providing them with the tools to use their internal core.
3. While life offers purpose and meaning, it does not assure happiness or fulfilment.

Finding Meaning

Logotherapy, developed by Viktor Frankl, focuses on the search for meaning as the primary motivational force in human life. It posits that even in the face of suffering, life can have purpose, and individuals can find meaning through their attitudes, choices, and actions. The central goal of Logotherapy is to help individuals discover and pursue their unique sense of meaning and purpose. It emphasizes that finding this meaning is crucial for overcoming life's challenges and achieving psychological well-being.

Logotherapy offers three primary ways for individuals to discover meaning in their lives. First, through **creative value**, meaning can be found by creating something or accomplishing a task. This might involve engaging in work, artistic endeavours, or personal projects that give a sense of achievement and purpose. Second, **experiential value** involves finding meaning through experiences and relationships. This includes appreciating the beauty of the world, loving others, and fully engaging in life's moments of joy. Third, **attitudinal value** is about adopting a constructive attitude toward suffering and adversity. By choosing how to respond to unavoidable pain, individuals can find meaning even in the most challenging circumstances.

Frankl's perspective on suffering is integral to Logotherapy. He believed that suffering is an unavoidable part of life but emphasized that individuals have the ultimate freedom to choose how they respond to their suffering. For instance, Frankl shared a story about an elderly man who was deeply depressed after the loss of his wife. Frankl helped him understand that his

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

wife's death spared her from experiencing his own suffering, which provided a new perspective and significantly alleviated his depression.

Another important concept in Logotherapy is self-transcendence. Frankl argued that people find deeper meaning when they connect with something greater than themselves, whether through relationships, contributions to society, or a sense of spiritual purpose. By focusing on how they can positively impact the world and others, individuals can achieve a greater sense of fulfilment and significance.

Finally, Frankl emphasized that discovering the true meaning of life involves active engagement with the world and interactions with others. He believed that individuals must confront challenges and pursue their potential purposes actively, rather than relying solely on introspection. This approach encourages people to seek out meaningful roles and contributions, which can evoke a strong sense of purpose and motivation.

Logotherapy Assumptions

Logotherapy, developed by Viktor Frankl, is based on several key assumptions that shape its approach to understanding human motivation and meaning. These assumptions, though not empirically provable, form the foundation of the therapy.

1. Body, Mind, and Spirit: According to Frankl, human beings are composed of the body (soma), mind (psyche), and spirit (noos). While we have a body and a mind, the spirit represents our true identity and essence. Frankl's view diverges from purely materialistic perspectives and aligns with some spiritual or religious viewpoints, suggesting that our spirit transcends physical and mental aspects of existence.

2. Life Has Meaning Even in The Most Miserable Circumstances: Frankl believed that life holds meaning even in the direst situations. This assumption reflects the idea that there is a higher order or purpose that goes beyond human comprehension. Frankl famously stated that suffering, as an unavoidable part of life, can also carry meaning. He argued that without suffering and death, life would lack completeness.

3. Humans Possess a Will to Meaning: Logotherapy asserts that humans are driven by a fundamental desire to find meaning in their lives. This "will to meaning" contrasts with the pursuit of power or pleasure, suggesting that

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

discovering purpose is the primary motivation for living. According to Frankl, seeking meaning is a core aspect of human existence.

4. Freedom to Find Meaning: Individuals have the freedom to seek meaning in any situation, regardless of the circumstances. Frankl's experiences in Nazi concentration camps highlighted this belief, demonstrating that even in extreme suffering, people can choose their attitude and find meaning. This freedom to find purpose is central to the logotherapeutic process.

5. Meaning of the Moment: The significance of one's decisions is determined by how they respond to immediate circumstances. By aligning with societal values or personal conscience, individuals can find meaning in their daily choices. This assumption focuses on the practical, moment-to-moment aspect of meaning rather than overarching life purposes.

6. Individuals Are Unique: Each person faces distinct life challenges and is constantly in search of meaning. This assumption acknowledges that every individual experiences and interprets life's demands differently. The uniqueness of each person's situation means that the search for meaning is a personal and individualized journey.

Logotherapy Techniques

Logotherapy, founded by Viktor Frankl, is a therapeutic approach that aims to help individuals find meaning in their lives, even in the face of suffering. This approach uses specific techniques to assist clients in discovering their sense of purpose and improving their overall well-being. The primary therapeutic goals include awakening the client's sense of responsibility and meaning, helping them discover their true identity and place in the world, pursuing what really matters in life, and enhancing life for both themselves and others.

Dereflection is one of the core techniques in logotherapy. It involves shifting a person's focus away from their own problems or symptoms to concentrate on meaningful goals or activities. By redirecting attention from self-preoccupation, dereflection helps individuals find a sense of purpose and fulfilment. For example, if a person is struggling with financial issues, the logotherapist might encourage them to focus on the people they are supporting with their income, rather than obsessing over their own difficulties. This technique leverages self-transcendence, promoting concern for others as a way to alleviate personal distress.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Paradoxical Intention is another technique used in logotherapy, where clients intentionally engage in or exaggerate the behavior or symptom they wish to overcome. The idea is that by confronting the fear or issue directly, it becomes less intimidating. For instance, if a client is anxious about public speaking, the therapist might encourage them to exaggerate their anxiety or even jokingly wish for something embarrassing to happen. This approach can help reduce anxiety by taking away the seriousness of the fear and breaking the cycle of avoidance.

Socratic Dialogue is a technique that involves guiding clients through a process of self-discovery using questions and reflective listening. The logotherapist listens carefully to the client's words, identifying patterns and helping the client uncover new meanings and insights. This method encourages clients to find solutions and meanings within themselves, rather than being directly told what to do. For example, if a client is struggling with a personal decision, the therapist might use Socratic questioning to help them explore their values and beliefs, leading to a clearer understanding of their own solution.

In addition to these techniques, attitude modification is also employed in logotherapy. This technique focuses on altering one's attitude toward a situation rather than changing behavior. For example, if a client has experienced a significant loss, the therapist might work with them to adopt a new perspective on the loss, helping them to process and integrate the experience in a more meaningful way.

Through these techniques, logotherapy aims to help individuals find purpose and meaning in their lives, enabling them to navigate challenges and improve their overall quality of life.

Gestalt Therapy

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Gestalt Therapy Overview

Gestalt therapy is a humanistic and person-cantered approach that prioritizes the present moment and current challenges over delving deeply into past experiences. Developed by Fritz Perls and his wife, Laura Perls, in the 1940s, Gestalt therapy emphasizes personal responsibility and focuses on enhancing an individual's awareness of their present experiences. This therapy seeks to integrate thoughts, feelings, and actions to achieve a holistic understanding of oneself.

Key Concepts of Gestalt Therapy

1. Self-Awareness: Central to Gestalt therapy is the idea that many mental health issues arise from a lack of awareness of one's senses, emotions, and bodily sensations. Fritz Perls believed that awareness itself is healing. Therapy focuses on helping clients become more aware of their emotions and experiences, fostering self-confidence and a fuller life.

2. 'Here and Now': Gestalt therapy emphasizes the present moment. Clients are encouraged to discuss their experiences in the present tense and to explore how past experiences impact their current situation. This focus helps address unresolved conflicts or "incomplete Gestalts" that may affect the present.

3. Context: Understanding a client's context is crucial in Gestalt therapy. Therapists strive to grasp the client's experiences within their broader life context, acknowledging that both the therapist and client are influenced by their unique backgrounds and perspectives.

4. Experiences Influence Perception: Gestalt therapy recognizes that a client's experiences shape their perceptions and that no one can be entirely objective. Therapists support clients in sharing their truths without imposing judgments, fostering a space for genuine exploration and growth.

5. Dealing with Painful Experiences: Gestalt therapy provides a space for clients to confront and process painful memories rather than suppress them. Therapists understand that such experiences may surface when clients are ready to address them, aiding in the healing process.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Gestalt Therapy Techniques

1. Empty Chair Technique: This role-playing exercise involves a client imagining a dialogue with another person or a part of themselves seated in an empty chair. This technique helps clients engage with their thoughts and emotions and can facilitate self-awareness and resolution of internal conflicts.

2. Two-Chair Technique: Similar to the empty chair technique, the two-chair technique involves clients alternating between two chairs to engage in dialogue from different perspectives. This technique helps clients gain insight into their conflicts and make decisions.

3. 'I' Statements: Clients are encouraged to use 'I' statements to express personal responsibility and ownership of their feelings. This practice helps clients take responsibility for their emotions and fosters greater self-awareness.

4. Confrontation: Though less common today, confrontation was once a key technique in Gestalt therapy. It involves the therapist addressing discrepancies or changes in a client's behavior or statements, though it may be seen as too aggressive by some.

5. Body Language: Therapists pay close attention to clients' body language and may ask clients to express or exaggerate bodily movements. This helps clients become more aware of their emotions and physical responses.

6. Exaggeration: Clients may be asked to exaggerate a physical gesture or expression to better understand the emotions associated with it. This technique can make clients more aware of their immediate experiences.

7. Locating Emotions: Clients are guided to identify where they feel emotions in their bodies. This technique enhances awareness of emotional experiences and helps clients stay present.

8. Creative Activities: Gestalt therapy may incorporate creative activities like painting or sculpting to help clients gain awareness and process their experiences in non-verbal ways.

Goals of Gestalt Therapy

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

1. Maintaining Present Awareness: Gestalt therapy aims to keep clients focused on the present moment, addressing current issues rather than dwelling on the past or future.

2. Increasing Self-Awareness: The therapy helps clients identify and challenge roadblocks to self-awareness, enabling them to better understand their emotions and responses.

3. Adopting Personal Responsibility: Clients learn to take responsibility for their feelings and actions, moving away from blaming others and gaining greater control over their experiences.

4. Increasing Self-Regulation: Gestalt therapy assists clients in developing better self-regulation skills, moving away from maladaptive coping strategies and fostering healthier emotional and interpersonal interactions.

In summary, Gestalt therapy is an experiential approach that emphasizes present-moment awareness, personal responsibility, and the integration of mind, body, and emotions. Through various techniques and a focus on the here and now, it aims to help clients achieve greater self-awareness, resolve internal conflicts, and enhance their overall well-being.

What are the benefits of Gestalt therapy?

- Some potential benefits of Gestalt therapy include the following:
- Improved sense of self-control
- Increased awareness of needs
- Improved ability to monitor and regulate emotions
- Improved communication skills
- Increased tolerance for negative emotions
- Improved mindfulness
- Increased emotional understanding
- Improved ability to view things from another perspective
- Increased self-esteem
- Increased decision-making skills
- Increased interpersonal skills
- Increased empathy for others

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Transactional Analysis

Transactional Analysis (TA) is a psychoanalytic theory and method of therapy developed by Eric Berne during the 1950s. Transactions refer to the communication exchanges between people.

During a conversation with someone, the person starting the communication will give the 'transaction stimulus,' and then the person receiving this stimulus (or message of communication) will give the 'transaction response.'

Transactional analysis is the method used to analyze this process of transactions in communication with others. It requires us to be aware of how we feel, think, and behave during interactions with others.

TA recognized that the human personality is made up of three "ego states,"; each of which is an entire system of thought, feeling, and behavior from which we interact with each other. The Parent, Adult, and Child ego states and the interaction between them form the foundation of transactional analysis theory.



A Basic Parent-Child Interaction
Transactional Analysis
Originated by Eric Berne

This document is available on studocu
Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Transactional analysts are trained to recognize which ego states people are transacting from and to follow the transactional sequences to intervene and improve communication quality and effectiveness.

How was Transactional Analysis developed?

Eric Berne founded TA in the late 1950s. Eric Berne was born in Canada in 1910 and died in 1970; his field of expertise was rooted in psychoanalysis.

His ideas for TA developed from Sigmund Freud's psychoanalytic theory that childhood experiences greatly impact our lives as adults and are the basis for the development of our personalities and psychological or emotional issues that we suffer.

In the same way, Berne believed that our childhood experiences, particularly how we are parented, affect the developmental formation of our three ego states (Parent, Adult, and Child).

This can then unconsciously cause us to replay the same attitudes and behaviors that our parents had towards us to someone else during a conversation or to respond to communication and interactions with past childhood anxieties and emotions.

Eric Berne proposed that dysfunctional behavior is the result of self-limiting decisions made in childhood in the interest of survival. Such decisions culminate in what Berne called the "life script," the pre-conscious life plan that governs the way life is lived out.

Changing the life script is the aim of transactional analysis psychotherapy. Replacing violent organizational or societal scripting with cooperative non-violent behavior is the aim of other applications of transactional analysis.

Since Berne created TA, other psychotherapists and psychologists, such as Thomas Harris and Claude Steiner, have added to it, developing the theory and its therapeutic applications further.

The Ego States

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

TA believes that we have three different states or ways of being during interactions, which are; the child ego state, the parent ego state, and the state of adult (Berne, 1957).


Parent
Parent Ego State
Behaviours, thoughts and feelings copied from parents and parent figures
Adult
Adult Ego State
Behaviours, thoughts and feelings are direct responses to here and now
Child
Child Ego State
Behaviours, thoughts and feelings are replayed from childhood

Which state we are in during an interaction depends on a few factors, such as how we have been conditioned to act or react from childhood, any past traumas that now cause us to act in a certain way during particular interactions or situations, and how the other person we are interacting with is treating us/ what ego state they are in when speaking to us.

Interacting with someone from the state of the child or parent mode is often a default or unconscious reaction that is used, and it takes conscious awareness to be able to bring ourselves back into adult mode and interact from that place instead.

Child State

There are two subdivisions of the child state; The adapted child and the free child ego states. This is when we interact and respond to someone based on our past conditioning of internal emotions felt in childhood, so when we revert back to our thinking and feeling from when we were children.

The child ego state is built on any reinforcements we were given in childhood, either positive or negative, to behave or not behave in a certain way, which still conditions and affects our interactions today.

The adapted child state conforms and acts according to others' wishes to please them and be seen as good and liked. Still, it also has a rebellious side

This document is available on studocu
Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

when faced with perceived conflict and causes responses of resistance, hostility, and emotional reactivity.

The free child ego state can be creative, spontaneous, playful, and pleasure-seeking.

Parent State

There are two subdivisions of the parent state; The critical/ controlling parent state and the nurturing parent state. These are behavior and thinking patterns we have been taught from our past interactions with our parents and other authority figures (teachers, grandparents, etc.).

Berne believed our experiences during our first five years of life contributed to the parent ego state. This state holds a lot of judgments on how someone or something is, i.e., it is that state where we find ourselves having a lot of 'shoulds' and 'should nots' about something.

People are in this state when they are reactive to a situation and act out of their conditioning, copying how their parents (or another authority figure) treated them and others instead of analyzing each situation afresh in the here and now.

It is when we use the voice of authority toward someone. The critical parent disapproves in a harsh and possibly aggressive way. In contrast, the nurturing parent tries to take over a situation in more of a rescuing way, trying to soothe others, which can be very inappropriate when talking to other adults rather than children.

Adult State

Unlike the other two, the adult state does not have any subdivisions. The adult state interacts with people and their environment in the here and now, not from past conditioning or how other people have told them to be.

This state is more open, more rational, and less quick to make harsh judgments on a situation or person.

When communication occurs in the adult state, we are more likely to be respectful, make compromises, listen fully to others, and have more healthy social interactions.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

How do the ego states interact and affect communication?

The three states of child, parent, and adult affect how we receive, perceive, and respond to information or communication from someone.

Berne observed that people need strokes, the units of interpersonal recognition, to survive and thrive. Understanding how people give and receive positive and negative strokes and changing unhealthy patterns of stroking are powerful aspects of work in transactional analysis.

Transactional analysis believes that adult-to-adult communication/ transactions lead to the most effective and healthy communication, thus, relationships with others.

The different types of transactions below explain how interactions from the different ego states interact with each other.



Complementary Transactions

It is important to note that although the phrase 'complementary transactions' sounds positive, it does not necessarily mean that this type of communication is always healthy communication.

A complementary transaction takes place when the lines between the sender's and receiver's ego state are parallel.

This means that whatever ego state the sender is in, their communication reaches or impacts the desired ego state of the receiver. Thus, the receiver responds in a way that complements the sender's ego state instead of challenging it.

This document is available on studocu
Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

When this complementary transaction happens from an adult-to-adult state, it is thought to be the best type of communication, as it is respectful and reduces conflicts.

When a complementary transaction happens from the ego state of a child and is received and responded to from the ego state of a nurturing parent, it will also help to reduce conflicts and create a degree of harmony in the interaction; however, you can see why this would not necessarily be the best form of interaction in a workplace environment between two adults.

For example, in a marriage, if one partner is worried about an event, the other may take on a more nurturing parental state to help calm and support them, which is great; however, if this is the primary mode of communication between the two then over time it would cause strain and be quite draining.

Crossed Transactions

Crossed transactions are when the ego states of two people interacting do not match when the ego state of the sender does not reach the desired or intended ego state of the respondent; thus, they respond to the sender in a conflicting way (which can be seen by the crossed over arrows in the image to the right).

In a crossed transaction, it requires one or both of the people in the interaction to shift ego states for communication to be able to carry on.

An example of this would be if a customer came to you complaining of their recent purchase, using very belittling language, jumping to the conclusion that this mistake had been made purposely, and telling you that they were going to report you.

They are speaking to you from their critical parent state, intending you to then reply from your child's ego state, such as being very apologetic, begging them not to report you, and responding with anything that strengthens their authority in the situation.

However, if you were to respond from your adult or parent state instead, this would cause a crossed transaction, and someone would have to shift their ego states to accommodate for this so the communication can continue.

TA believes that if you respond from your adult state, it is more likely that the sender can then also come back into their adult state to accommodate for the discrepancy in uncomplimentary ego states, resulting in transactions from adult to adult, which is healthier and more respectful.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Ulterior Transactions

Ulterior transactions are when the sender outwardly gives a message to the receiver that sounds like it's coming from his adult state to the receiver's adult state.

However, there is actually an underlying, subtle message given from the sender's child or parent state, to be received by the responder's child or parent state. Thus, two messages are sent at the same time. This can be done consciously or unconsciously by the sender.

This type of interaction is highlighted in the image showing the dashed line. An example would be if someone's teacher or friend said, 'You can choose to study subjects that lead to becoming a doctor; however, it is very hard and requires lots of intelligence.'

The use of language suggests adult-to-adult respectful communication with a subtle warning; however, they may have said it with the intent of triggering the receiver's rebellious child ego state, so they might think, 'I will show you that I am also very intelligent and can become a doctor' and thus study harder.

The three different transactions in communication are not defined by verbal language and words alone. It also incorporates tone of voice, body language, and facial expressions.

How is Transactional Analysis used in therapy?

The general goal or motive of TA therapy is to strengthen the adult state of the client. This is done through using skillful questioning and tools to understand what causes the client to shift into parent or child ego mode and thus come up with helpful strategies to use in these moments to stay in their adult state instead (Berne, 1958).

TA believes that our childhood experiences, particularly from birth to five years, strongly affect our behaviors and our responses in social interactions, so importance is placed on our upbringing and how we were parented.

This process is also referred to as script analysis, which analyses and explores our scripts developed in childhood. Scripts are unconsciously built beliefs and views we have of ourselves, others, and the world, which we developed to make sense of our internal and external environments from early experiences and interactions.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

During script analysis, any positive or negative reinforcements we were given as a child to behave or not behave in a certain way will be explored, along with life messages we have given, I.e., 'only lucky people become rich,' or 'you have to suffer to succeed.'

People will also explore whether or not they are modeling/ copying how they observed their parents and authority figures behaving.

Additionally, more subtle messages we received growing up will be analyzed (referred to as injunctions), such as always being told to be quiet when your parents were speaking to friends, which could imprint the belief 'no one wants to hear me' or 'what I want to say doesn't really matter,' these would be explored in therapy along with how they currently affect our interactions now.

The parent, adult, and child diagram, or 'structural diagram' as Berne called it, is a useful tool that TA practitioners use as a helpful visual in aiding clients to understand the three states they have within them.

This affects their behavioral and social interactions and is a way of helping them to see how the three states interact with each other during particular situations and with particular people they communicate with.

TA can be used in short-term therapy, in a brief solution-focused way, or in a more in-depth long-term way to gain more insight into our unconscious world, and improving our relationships with others, and reduce conflict.

TA is versatile and can be used in individual psychotherapy, couple's psychotherapy, and family counseling. It can also be helpful for other practitioners to apply to their work with clients such as nurses and teachers and even in industries such as business or sales training.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Unit-4

Family Therapy: Nature and Effectiveness

Family Therapy & Family Counseling? Definitions

Family therapists recognize that changing a family system (usually) means disrupting existing relationship patterns and interpersonal communications (Metcalf, 2011).

While family therapists adopt many approaches, they are each typically underpinned by the following four principles (Goldenberg, 2017):

- Family members are intimately connected, so therapy must focus on the beliefs of every member.
- Over time, family members living in close proximity "set up patterns of interacting made up of relatively stable sequences of speech and behavior" (Goldenberg, 2017, p. 26).
- The presenting problem's context typically comprises the "interactions, beliefs, and behaviors that therapists observe and engage with" and can be considered the cause and effect (Goldenberg, 2017, p. 26).
- Family problems are often the result of challenges resulting from facing environmental shifts or life changes.

Family therapy and family counseling are closely related terms and often used interchangeably, but with the latter sometimes used as a broader term encompassing various therapeutic approaches and techniques adopted by psychologists, social workers, and other professionals to enhance communication, resolve conflict, and support families facing challenges (American Psychological Association, n.d.; Goldenberg, 2017).

Marriage and family therapy

Marriage and family therapy are forms of psychotherapy that help individuals, couples, and families improve their relationships and resolve conflicts. Their scope involves working with the couple or the entire family rather than one individual (Metcalf, 2011).

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Despite differences in how family therapists go about providing opportunities for families to change, all attempt to create a therapeutic environment that (Goldenberg, 2017):

- Encourages self-examination in order to reduce discomfort and conflict
- Mobilizes family resilience and empowerment
- Helps the family members improve their overall functioning

Within marriage therapy, counselors may use various techniques, such as talk therapy, role-play, and homework assignments with the couple (Metcalf, 2011).

Family therapy for mom and son

Family therapy for mothers and sons can be an effective way to address issues that are affecting their relationship and the family as a whole. The therapist will identify communication and behavior patterns within the relationship that contribute to broader problems and suggest approaches to encourage greater understanding and reduce conflict (Metcalf, 2011).

Communication theory and its impact on family therapy

Communication theory involves studying how people exchange information and meaning through verbal and nonverbal messages (Fitzpatrick & Ritchie, 1993).

The impact of communication theory on family therapy and family counseling is significant and can be used to understand how communication patterns within the family structure contribute to or alleviate problems.

Therapists can use communication theory to identify patterns of communication causing conflict or distress within the family and to develop strategies for improving communication and resolving disputes, such as active listening, empathy, and assertiveness.

Types of Family Therapy

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Family therapists are strongly influenced by the models they use, and there are many.

As a result, clients may be seen from very different perspectives depending on the type of family therapy adopted (Metcalf, 2011; Goldenberg, 2017).

The following is a list of several of the most influential types, but there are others present in the literature.

Structural and strategic family therapy

Structural family therapy and strategic family therapy approaches "are foundational in the field of systemic family therapy due to their emphasis on systemic process over content and altering family interaction patterns that create, maintain, or exacerbate problems" (Wampler et al., 2020, p. 460).

Developed in the late 1960s by Salvador Minuchin, and along with contributions from Charles Fishman, Maryanne Walters, and others, structural family therapy recognizes the importance of the individual within their social context (Wampler et al., 2020).

As such, individuals do not exist in isolation but in relation (both acting and reacting) to the family, with the "family seen as the vehicle for producing individual change" (Wampler et al., 2020, p. 462).

Consequently, rather than one individual being the "guilty party" or "symptom owner," problems are distributed and often the result of a dysfunctional hierarchy or poor functioning within subsystems (Wampler et al., 2020).

Strategic family therapy arose out of the work of the Mental Research Institute in California in the mid-1950s. Unlike other therapeutic approaches that assume insight leads to change (changing through knowing), the strategic approach suggests change happens before understanding (knowing through changing; Wampler et al., 2020).

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Shifts in perception and understanding the system's rules and family interactional patterns are required to facilitate lasting change (Wampler et al., 2020).

Psychodynamic/psychoeducational therapy

According to psychodynamic theory, "humans have an unconscious mind that influences a person's behavior" (Wampler et al., 2020, p. 417). As a result, we are often driven by simple, unconscious desires — such as pleasure — that are self-serving.

As far back as Sigmund Freud in the early 20th century, the impact of family on the individual's character formation and unconscious mind was clear. Therefore, the psychodynamic approach to family therapy emphasizes the importance of exploring family members' past experiences and relationships to gain insight and understanding into existing problems (Metcalf, 2011).

The psychoeducational therapeutic approach supports providing education and information to families about mental illness and challenging behavior patterns while developing treatment plans for the whole family (Metcalf, 2011).

Narrative family therapy (contextual)

Narrative therapy is recognized as being at the forefront of today's family therapy and family counseling, "signifying that our knowledge of reality is organized and maintained through stories we tell about ourselves and the world we inhabit" (Goldenberg, 2017, p. 370).

After all, the stories — or narratives — we tell ourselves are the context of our lives. And yet, families often build and maintain self-defeating and harmful narratives about their members.

Narrative therapy involves "respectful, non blaming conversations in which clients are the experts in their own lives and assumed to have the skills and competencies needed to construct more positive stories about themselves" (Goldenberg, 2017, p. 371).

Narrative therapists support families in reframing problems from an internal deficiency or issue within the individual, couple, or family to an unwelcome narrative dominating their lives. The family is encouraged

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

to unite against the problem as a separate entity — with its own political and social context — to be overcome (Goldenberg, 2017).

Circular questioning is a powerful technique used in narrative therapy. It involves asking questions about interactions and relationships within the family system to explore how family members perceive each other's behaviors, emotions, and thoughts (Rogers & Cooper, 2020).

Systemic and systematic family therapy

Systematic family therapy (also known as systemic family therapy) focuses on the family as a whole rather than individual members. As such, it recognizes that individual psychological issues and conflicts are often influenced by and embedded within the more extensive family system (Goldenberg, 2017).

Using this approach, therapists and counselors consider the family as an interconnected system with unique communication patterns, roles, and dynamics. The approach requires them to establish an alliance with multiple individuals at once and manage various views of the therapeutic alliance (Goldenberg, 2017).

Ultimately, they aim to identify and address dysfunctional patterns within the family system that contribute to individual problems by challenging mental models, accepting ambiguity, and considering multiple generations (Goldenberg, 2017).

Functional family therapy

Functional family therapy is a well-researched approach to the family that "fosters both cognitive and behavioral changes in individuals and their families" (Goldenberg, 2017, p. 335), integrating learning, systems, and family therapy.

This form of therapy aims to go beyond behavior change, helping clients understand that how they act regulates relationships.

Studies have found functional family therapy to be particularly helpful in treating adolescents with problems with substance abuse, violence, and delinquency (Goldenberg, 2017).

Bowenian family therapy

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Murray Bowen was a crucial figure in the development of family therapy and one of the developers of the family systems theory. His approach emphasizes both the significance of past relationships (psychodynamic approach) and the family as a unit (systems approach; Goldenberg, 2017).

According to family systems theory (or Bowenian family therapy), there are eight interlocking concepts (Goldenberg, 2017):

1. Differentiation of self
2. Triangles
3. Nuclear family emotional system
4. Family projection process
5. Emotional cutoff
6. Multigenerational transmission process
7. Sibling position
8. Societal regression

Bowen preferred to think of himself as a coach, helping family members "become objective researchers into their own ways of functioning" (Goldenberg, 2017, p. 214).

Behavioral and cognitive-behavioral family therapy

"Behavioral and cognitive-behavioral models for understanding and treating problems in couple and family relationships are well supported empirically" (Wampler et al., 2020, p. 493).

Cognitive interventions that encourage clients to identify those aspects of their thinking that contribute to negative emotional and behavioral responses within the family system have proven valuable, along with testing the validity of cognitions and replacing unhelpful thoughts with more helpful ones (Wampler et al., 2020).

Emotionally Focused Therapy for families

Emotionally Focused Therapy (EFT) combines a focus on the self with a systems outlook.

EFT "views couples and families in both intrapsychic and interactional terms, helping them gain access to what is emotionally significant for

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

each person" (Goldenberg, 2017, p. 248) while guiding their actions and explorations with the therapeutic relationship.

EFT practitioners focus on what is going on between people rather than what is inherent within each person. They help clients focus on their moment-to-moment inner experiences and relationship events.

Other approaches worthy of note include family constellation therapy and internal family systems therapy. The former focuses on events that have led to family breakdowns to restore balance within the family constellation, and the latter addresses individual healing and growth, recognizing the mind as a system composed of multiple distinct parts (Konkolÿ Thege et al., 2021; Sweezy & Ziskind, 2013).

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

Unit-5

Recent advancement in Psychotherapy

Yoga and meditation

Yoga and meditation are ancient practices increasingly integrated into modern psychotherapy for their ability to foster mental well-being. Yoga, combining physical postures, breath control, and mindfulness, regulates stress hormones and enhances emotional regulation. Studies, like one published in Frontiers in Psychiatry, confirm that yoga reduces symptoms of depression and anxiety by balancing the autonomic nervous system. Trauma-sensitive yoga, for example, reconnects individuals with their bodies, aiding survivors of PTSD. Meditation, particularly mindfulness meditation, is another valuable tool. It encourages present-moment awareness, reducing automatic, distressing reactions. Research in JAMA Internal Medicine shows that mindfulness meditation effectively decreases anxiety and depression, making it a critical tool in therapeutic contexts. By promoting holistic healing, yoga and meditation enrich traditional therapy, offering alternative methods to manage mental health challenges.

Mindfulness-Based Therapies (MBCT and MBSR)

Mindfulness is being aware of internal thoughts, feelings, and emotions, as well as external surroundings and situations, without automatic responses such as judgment or stress.[1] Mindfulness therapy is a type of talk therapy that focuses on learning how to be more aware and to reduce automatic responses.

This article will explain what is involved with mindfulness therapy, the types of professionals who provide it, and training required for providers. We will also discuss the various types of mindfulness therapy and its uses.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)


Types of Mindfulness Therapy
Mindfulness-Based Cognitive Therapy (MBCT):
Identifies dysfunctional thoughts and shows you how to choose different thoughts
Mindfulness-Based Stress Reduction Therapy (MBSR):
Uses mindfulness practices with stress management techniques
Mindfulness-Based Cognitive Behavioral Therapy:
Incorporates mindfulness practices with cognitive behavioral therapy

What It Involves

Mindfulness therapy is a type of psychotherapy, or talk therapy. Psychotherapy is a conversation-based intervention provided by a trained mental health professional to assess, diagnose, and treat dysfunctional thought patterns and behaviors.[2]

Mindfulness therapy does this by incorporating awareness of thoughts, emotions, feelings, surroundings, and situations. It involves conversations with professionals that help a person develop greater awareness of their thoughts and the world around them. This increased awareness helps them avoid destructive or automatic responses or habits.[1]

Types of Professionals Who Provide It

Different types of professionals may provide mindfulness therapy, including psychologists and therapists. Other health professionals, such as

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

licensed professional counselors and licensed clinical social workers, may also incorporate mindfulness.

Sessions can be delivered one-on-one or in a group setting and, in an office, or virtually via video conferencing.

Mindfulness Techniques vs. Therapy

While other practices such as yoga and meditation do include mindfulness techniques, this is not considered mindfulness therapy because it does not include psychotherapy with a mental health professional. However, some mental health professionals do incorporate meditation in psychotherapy.[3]

Conditions Treated and Concerns Addressed

Mindfulness therapy is used to treat a variety of different medical conditions, both mental and physical. Additionally, it can help to address concerns that are not limited to medical conditions.

Some examples of the health and life benefits of mindfulness therapy include improved focus and memory, empathy and compassion, and increased overall quality of life.[4]

Mindfulness therapy can be used for:

- Anger management[6]
- Anxiety[4]
- Autism
- Side effects of cancer
- Chronic illness (for example, respiratory conditions)
- Chronic pain (including arthritis)
- Inflammatory bowel disease (IBD) and irritable bowel syndrome (IBS)
- Heart disease
- Stress
- Depression[4]
- Improved immune function[4]
- Mental health (obsessive-compulsive disorder, attention deficit hyperactivity disorder)
- Diabetes mellitus[7]

Other conditions in which mindfulness therapy may help include:[8]

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

- High blood pressure
- Insomnia
- Substance misuse and addiction
- Eating disorders
- Post-traumatic stress disorder

Mindfulness therapy also offers life benefits through improved capacity for relationships, self-confidence and self-control, and even the potential for improved ecological sustainability.[8]

Types of Mindfulness Therapy

Mindfulness therapy is a type of psychotherapy. There are also different types of mindfulness therapy, including mindfulness-based cognitive therapy (MBCT), mindfulness-based cognitive behavioral therapy (CBT), and mindfulness-based stress reduction therapy (MBSR). Additionally, mindfulness can be incorporated into other forms of therapy.[9]

Mindfulness-Based Cognitive Therapy or MBCT

Mindfulness-based cognitive therapy, or MBCT, is a type of psychotherapy that incorporates mindfulness practices with cognitive therapy.[10] Cognitive therapy, or CT, is a type of talk therapy that involves identifying dysfunctional thoughts and learning how to choose different thoughts instead, which is called cognitive restructuring.[11] Mindfulness-based cognitive therapy may include this cognitive restructuring technique plus mindfulness meditation or other mindfulness practices.

The three-minute breathing space is a common MBCT technique. During this exercise, you are asked to follow three one-minute steps:

1. Ask yourself, "How am I doing right now?" Focus on and identify the thoughts, feelings, and sensations that may come from this question.
2. Bring your awareness to your breath and sit with it.
3. Assess your physical sensations and how they are affecting the rest of your body.

Mindfulness-Based Cognitive Behavioral Therapy or Mindfulness-Based CBT

Mindfulness-based cognitive behavioral therapy, or mindfulness-based CBT, is a type of psychotherapy or integrative therapy that incorporates mindfulness practices with cognitive behavioral therapy. Cognitive

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

behavioral therapy, or CBT, is a type of talk therapy that combines cognitive therapy with behavior therapy, focusing on how thoughts, emotions, and behaviors relate to and influence one another.[12]

The terms "mindfulness-based cognitive behavioral therapy" and "mindfulness-based cognitive therapy" are sometimes used interchangeably.

Mindfulness-Based Stress Reduction Therapy or MBSR

Mindfulness-based stress reduction therapy, or MBSR, is a type of psychotherapy that incorporates mindfulness practices with stress management techniques. This creates a mindfulness protocol specifically for stress, as opposed to a practice for something else that has the added benefit of stress relief.

MBSR has also been shown effective in improving chronic illness, both physical and mental, by helping people cope with symptoms and clinical problems.[13]

Other Types of Mindfulness Training

In addition to mindfulness therapy, there are other mindfulness practices that do not involve therapy. These include breathing techniques, visualization, yoga, and meditation. They can be learned at home without the support of a professional. This is unlike mindfulness-based therapy options, which require the support of a mental health professional.

Acceptance and Commitment Therapy (ACT)

ACT, a modern psychotherapeutic approach, emphasizes psychological flexibility, encouraging clients to accept difficult emotions while committing to value-driven actions. Its core processes include Acceptance, which involves embracing rather than avoiding negative feelings; Defusion, teaching clients to separate from their thoughts; and Committed Action, helping individuals align behaviors with personal values. For instance, clients with social anxiety may use ACT to accept discomfort during public speaking, gradually increasing confidence. Techniques like values clarification and mindfulness exercises enhance emotional resilience, fostering growth despite challenges. ACT's effectiveness is widely documented, with studies showing significant improvements in anxiety

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

disorders and chronic pain management. The therapy's innovative strategies make it a powerful tool for addressing complex psychological issues.

Positive Psychology’s Contributions to Psychotherapy

Positive psychology enriches traditional psychotherapy by focusing on strengths, resilience, and flourishing instead of solely addressing pathology. Emerging in the late 1990s, it emphasizes enhancing well-being through gratitude, optimism, and character strengths. Techniques like gratitude journaling and resilience training build emotional resources, enabling clients to cope with adversity effectively. Research in The Journal of Positive Psychology indicates gratitude exercises significantly increase life satisfaction. Strength-based interventions encourage clients to leverage personal traits like kindness and perseverance for growth. Positive psychology complements existing therapies by fostering a balanced focus on problems and potentials, creating pathways for holistic mental health improvement.

This document is available on studocu

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)

References

1. Baldwin, S. A., & Imel, Z. E. (2013). Therapist effects in psychotherapy: A comprehensive review.
2. Beck, A. T. (1967). *Depression: Causes and Treatment*. University of Pennsylvania Press.
3. Frankl, V. (1984). *Man's Search for Meaning*. Beacon Press.
4. Rogers, C. R. (1961). *On Becoming a Person*. Houghton Mifflin.
5. Perls, F., Hefferline, R. F., & Goodman, P. (1951). *Gestalt Therapy: Excitement and Growth in the Human Personality*.
6. Kabat-Zinn, J. (2003). *Mindfulness-Based Interventions in Context: Past, Present, and Future*. *Clinical Psychology: Science and Practice, 10*(2), 144–156.
7. Linehan, M. M. (1993). *Cognitive-Behavioral Treatment of Borderline Personality Disorder*. Guilford Press.
8. Minuchin, S. (1974). *Families and Family Therapy*. Harvard University Press.
9. Seligman, M. E. P. (2002). *Authentic Happiness: Using the New Positive Psychology to Realize Your Potential for Lasting Fulfillment*. Free Press.
10. Teasdale, J. D., Segal, Z. V., & Williams, J. M. G. (1995). *Mindfulness-Based Cognitive Therapy for Depression: A New Approach to Preventing Relapse*. *Journal of Consulting and Clinical Psychology, 63*(4), 614–623.

Downloaded by wayOFpsychology ON TELEGRAM (moinamb99@gmail.com)